

Quwwat-ul-Islam Girls' School



Early Years Disease/Illness Minimum Periods of Exclusion

Published Date	April 2026
Review Date	July 2026

School Motto
Together we can achieve more
School Values
Respect . Aspiration . Responsibility
Learning Drivers
Caring for Ourselves, Our World, Our Education, Our Rights

School Vision Statement

To establish a school of excellence both **Islamically** and **Academically** - Provide a **holistic** education which is inspired by: **Taqwa**: God consciousness **morals and values** inspired by the prophet (saw) coupled with **academic excellence**.

At Quwwat-ul-Islam girls' school we adhere to the following:

- **Mutual respect and tolerance** - We respect and care for everybody.
- **Democracy**– We promote the right of every individual to have their opinions and voices heard.
- **The rule of the law** – We understand that laws and rules protect us and at the same time provide us with responsibilities, by breaking them there are consequences.

Quwwat ul Islam Girls' School is committed to safeguarding and promoting the welfare of all pupils in its care. As an employer, the school expects all staff, governors, volunteers and parents/carers to share this commitment.

Minimum Periods of Exclusions from Nursery

Disease/Illness	Minimal Exclusion of Period
Flu	Until recovered
Temperature	If sent home ill, child must be off for 24 hours
Vomiting and/or Diarrhoea	48 hours
Conjunctivitis	none
Chickenpox	5 days from appearance of the rash
Gastro-enteritis, food poisoning, salmonellas and dysentery	48 hours or until 2 clear nappies or for notifiable diseases until advised by the relevant health official
Hepatitis A	7 days from onset of jaundice
Measles	4 days from appearance of the rash
Meningococcal infection	Until recovered from the illness
Mumps	5 days from the onset of swollen glands
Pertussis (whooping cough)	21 days from onset of paroxysmal cough if no antibiotic treatment given – otherwise 5 days
Poliomyelitis	Until declared free from infection by appropriate public health official
Scarlet fever and streptococcal infection of the throat	2 days after the start of antibiotic treatment
Tuberculosis	consult public health official
Typhoid fever	Consult appropriate public health official
Impetigo	Until the lesions are crusted or healed
Pediculosis (lice)	Until appropriate treatment has been given
Planter warts	No exclusion, should be treated and covered
Ringworm	Until treatment is commenced
Scabies	Until first treatment